PUREPATH FLOORING SOLUTIONS

EST. 2021

STEP INTO EXCELENCE



FOOD PROCESSING AND COLD STORAGE



PHARMACEUTICAL INDUSTRY



BEVERAGE MANUFACTURING



MANUFACTURING



AUTOMOTIVE MANUFACTURING



PACKAGING




CHEMICAL PROCESSING PLANTS

With more than 5 years of experience in specialist industrial epoxy and polyurethane flooring systems, our superior-quality range of industrial flooring products has become the industry benchmark for flooring excellence.

COMMERCIAL & DECORATIVE FLOORING

Marble Stone TZ


Ahigh-performance,decorative epoxy resin modified micro terrazzo flooring system. Engineered to deliver industrial strength and exceptional underfoot performance, it's the perfect blend of durability and style for any commercial or residential environment.



Charcoal | Mid Grey | Light Grey | Crystal Grey | Ivory | White

Polyscreed GHF Terrazzo


A uniquepolyurethane terrazzo floor screeding system with an attractive range of coloured aggregates and colours to compliment many environments. This system provides the ultimate in performance flooring with a decorative and aesthetic appeal.



Dark Grey | Ocean Grey | Full Moon | Crystal Grey | Beige | Rock Pool

Polyscreed Quartz

An attractive,colour quartz screed, which is power-troweled to achieve ultimate abrasion and wear resistance. This flooring system exhibits an attractive satin finish, ideal for commercial environments.



Neptune | Moon | Stardust | Mercury | Pluto | Pandora Blue

Polyscreed Earth Flow

Adecorative polyurethane cement composite self-levelling flooring system designed to combine the ultimate in performance and decorative appeal.



Anthracite Grey | Yellow Ochre | Sand Yellow | Beige | Light Stone | Dark Green

Solidflow Quartz

Self-levelling, decorative 2 - 4mm epoxy floor system with a unique micro quartz speckled appearance. Ideal for commercial and industrial environments. Available in gloss or matte finish.



Light Grey | Mid Grey | Polar Mist | Light Stone | Sunflower | Light Blue

Marble-Flow

Ahigh performance, decorative epoxy cement flooring system with a thickness of 1 – 1.5mm. The system delivers high wear resistance and durability, along with an aesthetically pleasing mottled finish.



Light Grey | Platinum Grey | Dark Grey | Wheat grain | Almond | Clay Stone

** Please note the colours reproduced here may only be used as a guide as they are subject to printing constraints.*






HEAVY DUTY FLOORING THAT LASTS

Purepaths is the leader in superior specialist epoxy and polyurethane flooring systems, manufactured under quality-assured ISO 9001* standards, offering unmatched durability and strength. Designed to handle heavy equipment, constant foot traffic, harsh chemicals and extreme temperature fluctuations.

Our HACCP-certified industrial flooring range offers unique solutions to meet the most stringent hygienic and anti-bacterial demands of the Food and Beverage industries, delivering unparalleled peace of mind.

OUR INDUSTRIAL FLOORING RANGE INCLUDES:



Epoxy floor coatings



Concrete primers




High-build coatings



Polyurethane floor coatings




Epoxy self-levelling screeds



Polyurethane floor screeds - Polyscreed systems



Epoxy screeds



Anti-static flooring



Densifiers and sealers Pentra-Sil lithium silicates

OUR UNIQUE PRODUCT BENEFITS

- Seamless, attractive flooring
- Low maintenance and easy to clean
- Anti-microbial protection with added Silver Ion Technology
- Non-slip finish
- Abrasion resistant
- Excellent durability


Hazard·Analysis HACCP Critical·Control·Point

COLOUR RANGE

Light Grey | Mid Grey | Dark Grey | Agate Grey | Cream | Beige | Light Stone | Traffic Yellow | Light Blue | Sea Blue | Dark Green | Brick Red

* Please note the colours reproduced here may only be used as a guide as they are subject to printing constraints.

EPOXY & POLYURETHANE FLOOR COATINGS









Solidkote WB
Awater-based epoxy coating available in various colours or clear, offering an easy to clean, cost-effective hygienic coating, which can be applied to damp substrates. Ideally suited for either floor or wall applications. Also available with an anti-fungal additive, enabling added protection in food and beverage processing.

Solidkote PU
Ahigh-performance, single pack, moisture-cured polyurethane coating that delivers exceptional scratch-and-abrasion resistance. Available in a matte or gloss finish.

Solidkote UVC
Tough,durable, UV-resistant and colour stable polyurethane coating for concrete or steel. Available in various colours or clear. Also available in a non-slip option for use in wet areas. Used for walls and floors such as concrete floors, structural steel, chemical plants, food processing, plating facilities, laboratories, exterior tanks and marine applications above water-line.

Solidkote Impact
Heavy-duty, solvent-free, high-build polyurethane coating. Exceptional chemical and impact resistance while maintaining a tough, elastic and flexible form, ideal for demanding industrial applications.

Solidguard HCP
High-performance and chemical-resistant epoxy coating specifically formulated for demanding acid or highly alkaline environments. Extremely tough and durable, low odour and ideal for protection of concrete tanks, equipment bases, floors and drains against aggressive chemicals.

Solidkote Robust
High-build epoxy coating delivering a seamless, durable, high-gloss and chemical-resistant floor finish. Offering a cost-effective solution for use in factories, warehouses, the pulp and paper industry, and tank farms. The industry standard with proven performance.

Solidkote Ultra Tough
High-performance, rapid-curing, impact-resistant polyaspartic coating system. Offering ultra-quick installation and walk-on time in 2-hours, delivering a high-gloss finish, which maintains flexibility and integrity with time and bonds to a variety of substrates.

Solidkote Q9 Sealer
High-performance,clear, water-based polyurethane coating designed for sealing decorative cementitious flooring, terrazzo and concrete. Also suitable for sealing parquet and engineered timber flooring.

FLOOR COATINGS & SELF-LEVELLING SCREEDS COLOUR RANGE



* Please note the colours reproduced here may only be used as a guide as they are subject to printing constraints.

SELF-LEVELLING SCREEDS

SOLIDFLOW

Solidflow SL 1000
Self-levelling1mm epoxy flooring system offering excellent abrasion and chemical resistance on concrete floors. Delivers a seamless, smooth, glossy, hygienic surface ideally suited to dry processing areas.



Solidflow SL 2000
Heavy-duty, 2mmself-levelling epoxy flooring system with exceptional wear, chemical and abrasion resistance. Offering a seamless, hygienic gloss finish.



Solidflow Hydro-Proof
A technically advanced, three-component resin system with excellent durability, chemical resistance, as well as protection against moisture, rising damp and hydrostatic pressure. Suitable to be used in areas with no DPC underlayment.

Solidflow SL ESD
Aheavy-duty,self-levelling anti-static epoxy floor system that safeguards both personnel and sensitive electronic equipment from electrostatic discharge (ESD). Suitable for application in dry process areas in the packaging, electronic, automotive, food and pharmaceutical industries.





POLYSCREED POLYURETHANE FLOOR SCREEDS

Heavy-duty, high chemical and impact-resistant polyurethane screeds for demanding environments.

Polyscreed SL
Self-levelling 2 - 3mm polyurethane screed, excellent chemical resistance with a matte finish. Ideal for light-to-medium-duty environments.



Polyscreed MD
Medium-duty, 4mmscreed with excellent levelling for dry or wet areas. Provides a seamless, smooth finish with mild slip resistance.



Polyscreed UT
Anultra-tough,5mm, textured, slip-resistant screed for heavy-duty zones, including slippery environments.

Polyscreed RT
A6mm durable, easy-to-apply “rake and trowel” system with a non-slip texture for heavy-duty environments.



Polyscreed HF
Heavy-duty, 6 - 9mm hand-trowelled screed for high-traffic, wet zones and extreme temperature exposure (-20°C to 120°C).

Polyscreed WR
Polyurethane wallrender for covings and vertical applications between 3 - 6mm.

Polyscreed Lockcoat
Polyurethane sealercoatfor Polyscreed WR or rejuvenation of polyurethane screeds.

Polyscreed MD ESD
Ahigh-performance,4mmantimicrobial polyurethane floor screed to combat electrostatic activity. Solvent and chemical-resistant, anti-static matte finish.



Polyscreed PUMMA
Adecorative4mm PU-hybrid flake floor system, sealed with a high performance methyl methacrylate resin, offering superior durability, wear resistance, and colour stability.

POLYSCREED COLOUR RANGE

Mid Grey | Dark Grey | Beige | Light Stone | Yellow Ochre | Sea Blue | Mid Green | Dark Green | Brick Red

* Please note the colours reproduced here may only be used as a guide as they are subject to printing constraints.